

# Infusion Series® Tea and Coffee Brewers

Space-saving combination brewer yields a variety of beverages with simple operation and precise extraction control



## ITCB

(TDO dispenser, airpot and airpot booster sold separately)

| ITCB         | Tea Dispensers                          |
|--------------|---|
| 25.75" trunk | TD4, TDS-3, TDS-3.5, TDO-4              |
| 29" trunk    | TD4, TD4T, TDS-3, TDS-3.5, TDO-4, TDO-5 |

## PRODUCT FEATURES

- Large tank provides back-to-back brewing capacity and allows 3 or 5 gallon (11.4 to 18.9 litres) tea batches.
- Two programmable batch switches allow full and half batch brewing of iced tea.
- Brews into all BUNN iced tea dispensers (except TDS-5) and 1.9 to 3.8 litre airpots.
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction. Digital temperature control and cold brew lockout.
- English and Spanish.
- Brew counter for batches brewed.
- Additional iced coffee recipe included.
- Equipped with tank drain.
- Black plastic coffee funnel and separate tea funnel included.
- Stainless steel Smart Funnel® available. Product No. 32643.0000
- Compatible with BUNNlink®.



International electrical configurations

## SWEETENER MODEL FEATURES

- Each brew button's sweetener may be independently set.
- Adjust sweetener volume with the Sweet Meter.
- "Out of Sweetener" indicator - OLCD blinks to aid operator.
- Separate inlet for sweetener - use existing CO2 systems or external 3rd party pump for sweetener delivery.

Iced Tea and Coffee

Brewers

45

## Infusion Series Tea and Coffee Brewers

| Model                                       | Product #  | Size  |                      | Electrical |      |       | Brewing Capacity          | Cord Attached | Agencies |
|---|------------|---|----------------------|------------|------|-------|---------------------------|---------------|----------|
|   |            | Dimension   | Weight               | Volts      | Amps | Watts |                           |               |          |
| ITCB-DV<br>(29" trunk)                      | 35700.0000 | 34.04" H x 10.12" W x 23.22" D<br>(86.5cm H x 25.7cm W x 58.98cm D) | 50 lbs.<br>(27.2 kg) | 120        | 14   | 1700  | 4.5 gal/hr.<br>17 L/hr.   | Yes           | <br>     |
| ITCB-DV<br>(29" trunk, flip tray)           | 35700.0019 |   |                      | 120/208    | 13   | 2650  | 7.5 gal/hr.<br>28.4 L/hr. |               |          |
| ITCB-DV<br>(25.75" trunk)                   | 35700.0001 |   |                      | 120/240    | 15   | 3500  | 28.4 L/hr.                |               |          |
| ITCB-DV<br>with Sweetener<br>(25.75" trunk) | 35700.0033 | 30.87" H x 10.12" W x 23.22" D<br>(78.4cm H x 25.7cm W x 58.98cm D) |                      | 120        | 14   | 1700  | 4.5 gal/hr.<br>17 L/hr.   |               |          |
| ITCB-DV<br>(25.75" trunk, flip tray)        | 35700.0020 |   |                      | 120/208    | 13   | 2650  | 7.5 gal/hr.<br>28.4 L/hr. |               |          |
| ITCB-DV<br>(25.75" trunk, flip tray)        | 35700.0020 |   |                      | 120/240    | 15   | 3500  | 28.4 L/hr.                |               |          |
| ITCB-DV<br>(29" trunk,<br>7-hole sprayhead) | 35700.0002 | 34.04" H x 10.12" W x 23.22" D<br>(86.5cm H x 25.7cm W x 58.98cm D) |                      | 120        | 14   | 1700  | 4.5 gal/hr.<br>17 L/hr.   |               |          |
|   |            |   |                      | 120/208    | 13   | 2650  | 7.5 gal/hr.<br>28.4 L/hr. |               |          |
|   |            |   |                      | 120/240    | 15   | 3500  | 28.4 L/hr.                |               |          |
| Tall Booster                                | 35976.0003 | 13.8" H x 9" W x 12.75" D<br>(35.1cm H x 22.9cm W x 32.3cm D)       | 6 lbs.<br>(2.7 kg)   |            |      |       |                           |               |          |
| Short Booster                               | 35976.0002 | 10.55" H x 9" W x 12.75" D<br>(26.8cm H x 22.9cm W x 32.3cm D)      |                      |            |      |       |                           |               |          |

# 3 Gallon Iced Tea Brewers

Fresh iced tea brewing solution with simple operation for a wide variety of dispensers



**TB3**

(TDO-4 dispenser sold separately)



**TB3Q**

(TDO-4 dispenser sold separately)



**TB3Q-LP**

(TDO-3.5 included)

## TB3 AND TB3Q FEATURES

- Brews directly into any style server.
- Brews 3 gallons (11.6 litres) at a time.
- Quickbrew (Q) models available for shorter brewing cycles.
- SplashGard® funnel deflects hot liquids away from the hand.
- Dispenser sold separately (except TB3Q w/TD4T).
- Use BUNN paper filters - Product No. 20100.0000.



 International electrical configurations

## LOW PROFILE TEA BREWER FEATURES

- Brews directly into TDO-3.5 gallon dispenser (included) with brew-through lid.
- Sleek, compact, low-profile styling to accommodate a variety of spaces.
- Quickbrew (Q) model for available shorter brewing cycle.
- SplashGard® funnel deflects hot liquids away from the hand.

| TB3/TB3Q     | Tea Dispensers                          |
|--------------|---|
| 25.75" trunk | TD4, TDS-3, TDS-3.5, TDO-4              |
| 29" trunk    | TD4, TD4T, TDS-3, TDS-3.5, TDO-4, TDO-5 |

## 3 Gallon Iced Tea Brewers

| Model                                     | Product #  | Size  |                      | Electrical |      |       | Brewing Capacity           | Cord Attached | Agencies   |      |                             |
|---|------------|---|----------------------|------------|------|-------|----------------------------|---------------|--|------|-----------------------------|
|   |            | Dimension   | Weight               | Volts      | Amps | Watts |                            |               |  |      |                             |
| <b>TB3</b><br>29" trunk                   | 36700 0009 | 34" H x 11.6" W x 22" D<br>(86.4cm H x 29.5cm W x 58.4cm D)     | 43 lbs.<br>(19.5 kg) | 120        | 14.4 | 1730  | 16.3 gal/hr.<br>61.7 L/hr. | Yes           | <br> |      |                             |
| <b>TB3</b><br>25.75" trunk                | 36700 0030 | 31" H x 11.6" W x 22" D<br>(78.7cm H x 29.5cm W x 58.4cm D)     | 42 lbs.<br>(19.1 kg) |            |      |       |                            |               |  |      |                             |
| <b>TB3</b><br>Ready Light<br>29" trunk    | 36700 0055 | 34" H x 11.6" W x 22" D<br>(86.4cm H x 29.5cm W x 58.4cm D)     | 43 lbs.<br>(19.5 kg) |            |      |       |                            |               |  |      |                             |
| <b>TB3Q</b><br>Quick Brew<br>29" trunk    | 36700.0013 |   | 42 lbs.<br>(19.1 kg) |            |      |       |                            |               |  |      |                             |
| <b>TB3Q</b><br>Quick connect<br>29" trunk | 36700.0076 |   | 54 lbs.<br>(24.5 kg) |            |      |       |                            |               |  |      |                             |
| <b>TB3Q w/TD4T</b><br>29" trunk           | 36700.0041 |   | 41 lbs.<br>(18.6 kg) |            |      |       |                            |               |  |      |                             |
| <b>TB3Q</b><br>Quick Brew<br>25.75" trunk | 36700.0059 | 31" H x 11.6" W x 22" D<br>(78.7cm H x 29.5cm W x 58.4cm D)     | 41 lbs.<br>(18.6 kg) |            |      |       |                            |               |  |      |                             |
| <b>TB3Q-LP</b>                            | 36700.0100 | 28.75" H x 11.5" W x 21.87" D<br>(73cm H x 29.4cm W x 55.6cm D) | 43 lbs.<br>(19.5 kg) |            |      |       | 14.2                       |               |  | 1700 | 26.7 gal/hr.<br>101.1 L/hr. |
| <b>TB3-LP</b>                             | 36700.0102 |   | 43 lbs.<br>(19.5 kg) |            |      |       | 14.4                       |               |  | 1730 |                             |
| <b>TB3</b><br>with Sweetener<br>29" trunk | 36700.0043 | 34" H x 11.6" W x 22" D<br>(86.4cm H x 29.5cm W x 58.4cm D)     | 44 lbs.<br>(19.9 kg) |            |      |       | 14.4                       |               |  | 1730 | 16.3 gal/hr.<br>61.7 L/hr.  |

# Iced Tea/Coffee Dispensers



**TD4      TD4T      TDS-5      ICD-3      TDO-4      TDO-5      TDO-N-3.5**

| 4 Gallon Square Tea Dispensers          |            |  |                     |                          |         |          |
|---|------------|--|---------------------|--------------------------|---------|----------|
| Model                                   | Product #  | Size   |                     | Capacity                 | Handles | Agencies |
|   |            | Dimension  | Weight              |                          |         |          |
| TD4 (solid lid)                         | 03250.0003 | 17.1" H x 9.1" W x 15.7" D<br>(43.4cm H x 23.1cm W x 39.9cm D) | 12 lbs.<br>(5.4 kg) | 4 Gallons<br>15.1 Litres | Side    | NSF      |
| TD4 (brew-through lid)                  | 03250.0006 |  | 11 lbs.<br>(5.0 kg) |                          |         |          |
| TD4T (solid lid, tall)                  | 03250.0004 | 22" H x 9.1" W x 15.7" D<br>(55.9cm H x 23.1cm W x 39.9cm D)   | 13 lbs.<br>(5.9 kg) |                          |         |          |
| TD4T (brew-through lid, tall)           | 03250.0005 |  |                     |                          |         |          |
| TD4T (brew-through lid, tall, no decal) | 03250.0018 |  |                     |                          |         |          |

| 3, 3.5, 4 Gallon Cylinder Style Tea/Coffee Dispensers |            |   |                       |  |                        |          |
|---|------------|---|-----------------------|--|------------------------|----------|
| Model   | Product #  | Size  |                       | Capacity   | Handles                | Agencies |
|   |            | Dimension   | Weight                |  |                        |          |
| TDS-3   | 33000.0000 | 19" H x 9.8" W x 12.8" D<br>(48.3cm H x 24.9cm W x 32.5cm D)    | 9.4 lbs.<br>(4.3kg)   | 3 Gallons<br>11.4 Litres                                   | Side                   | NSF      |
| TDS-3.5   | 33000.0008 | 20.4" H x 9.8" W x 12.8" D<br>(51.8cm H x 24.9cm W x 32.5cm D)  | 10 lbs.<br>(4.5kg)    | 3.5 Gallons<br>13.2 Litres                                 |                        |          |
| TDS-5   | 33000.0001 | 25.6" H x 9.8" W x 14.8" D<br>(65cm H x 37.8cm W x 37.6cm D)    | 12 lbs.<br>(5.4 kg)   | 5 Gallons<br>18.9 Litres                                   |                        |          |
| ICD-3   | 33000.0002 | 20.6" H x 9.8" W x 14" D<br>(52.3cm H x 37.8cm W x 35.6cm D)    | 10 lbs.<br>(4.5kg)    | 3 Gallons<br>11.4 Litres                                   |                        |          |
| TDO-5   | 34100.0001 | 22" H x 10.7" W x 13.7" D<br>(55.9cm H x 27.2cm W x 34.8cm D)   | 12 lbs.<br>(5.4 kg)   | 5 Gallons<br>18.9 Litres                                   |                        |          |
| TDO-5 (brew-through lid)                              | 34100.0003 |   | 14 lbs.<br>(6.4 kg)   | 5 Gallons<br>18.9 Litres                                   |                        |          |
| TDO-4   | 34100.0000 | 19" H x 10.7" W x 13.7" D<br>(48.3cm H x 27.2cm W x 34.8cm D)   | 12 lbs.<br>(5.4 kg)   | 4 Gallons<br>15 Litres                                     |                        |          |
| TDO-4 (brew-through lid)                              | 34100.0002 |   |                       |  |                        |          |
| TDO-3.5 (low profile)                                 | 37100.0000 | 9.75" H x 10.7" W x 13.7" D<br>(24.8cm H x 27.2cm W x 34.8cm D) | 8 lbs.<br>(3.6 kg)    | 3.5 Gallons<br>13.2 Litres                                 |                        |          |
| TDO-N-3.5   | 39600.0001 | 21.6" H x 6.2" W x 13.5" D<br>(54.9cm H x 15.7cm W x 34.3cm D)  | 12.3 lbs.<br>(5.6 kg) | 3.5 Gallons<br>13.2 Litres                                 |                        |          |
| TDO-N-4   | 39600.0002 |   |                       | 21" H x 6.1" W x 23.6" D<br>(53.3cm H x 15.2cm W x 60cm D) | 4 Gallons<br>15 Litres |          |
| LP Server Stand                                       | 37675.0000 | 9.3" H x 11.5" W x 14" D<br>(23.5cm H x 29.2cm W x 35.6cm D)    | 8.6 lbs.<br>(3.9 kg)  | n/a  | n/a                    | n/a      |

# Iced Tea and Iced Coffee Brewer and Dispensers



TCD-1



TCD-2



IC3

(ICD-3 dispenser sold separately)



TU5Q

(TDO-5 dispenser sold separately)

## TCD FEATURES

- Venturi valve creates siphon that pulls product through to mixing valve.
- Rear shut-off valve for cleaning dispenser.
- Accepts 1 gallon (3.8 litre) jugs in top of container or bag-in-box.
- Built-in pressure regulator provides consistent product to water ratio.
- Mixes a range of 5:1 to 15:1 concentrate to water ratio.
- For use with tea concentrate only.

## IC3 FEATURES:

- Brews directly into any style portable server up to 20" tall (50.8 cm).
- Height is easily changed by adding or removing trunk extensions.
- Brew either 2 or 3 gallons (7.57 to 11.36 litres) of iced coffee at a time.
- Tailors flavor to customer preference.
- SplashGard® funnel deflects hot liquids away from the hand.

## 5 GALLON TEA BREWER FEATURES

- Patented iced tea brewer generates top profits through large volume sales.
- Brew either 3 or 5 gallons (11.36 to 18.93 litres) of iced tea at a time.
- Can be set up to brew concentrate only for easier transport.
- SplashGard® funnel deflects hot liquids away from the hand.

## Tea Concentrate Dispensers

| Model | Product #  | Size  |                       | Electrical             |      |       | Dispensing Capacity       | Agencies |
|-------|------------|---|-----------------------|------------------------|------|-------|---------------------------|----------|
|       |            | Dimension   | Weight                | Volts                  | Amps | Watts |                           |          |
| TCD-1 | 37750.0000 | 22.9" H x 12.8" W x 18.1" D<br>(58.2cm H x 32.5cm W x 46cm D) | 17.1 lbs.<br>(7.8 kg) | No electrical required |      |       | 45 gal/hr.<br>170.3 L/hr. | NSF      |
| TCD-2 | 37750.0002 | 22.9" H X 12.8" W X 18.9" D<br>(58.2cm H x 32.5cm W x 48cm D) | 19.6 lbs.<br>(8.9 kg) |                        |      |       | 67 gal/hr.<br>253.6 L/hr. |          |

## Iced Coffee Brewers

| Model                        | Product #  | Size   |                      | Electrical  |      |       | Brewing Capacity         | Cord Attached | Agencies      |
|------------------------------|------------|--|----------------------|---|------|-------|--------------------------|---------------|---------------|
|                              |            | Dimension  | Weight               | Volts   | Amps | Watts |                          |               |               |
| IC3                          | 24450.0000 | 37.1" H x 12" W x 24" D<br>(94.2cm H x 30.5cm W x 60.96cm D) | 58 lbs.<br>(26.3 kg) | 120/208   | 19.5 | 4050  | 20 gal/hr.<br>75.7 L/hr. | No            | UL LISTED NSF |
| Trunk Extension & Rear Panel | 24427.0000 |  | .08 lbs.<br>(.04 kg) | Needed to accommodate the taller ICD4T dispenser. |      |       |                          |               |               |

## 5 Gallon Iced Tea Brewers

| Model | Product #  | Size   |                      | Electrical |      |       | Brewing Capacity            | Cord Attached | Agencies      |
|-------|------------|--|----------------------|------------|------|-------|-----------------------------|---------------|---------------|
|       |            | Dimension  | Weight               | Volts      | Amps | Watts |                             |               |               |
| TU5Q  | 24400.0000 | 38.5" H x 11.5" W x 24" D<br>(97.8cm H x 29.6cm W x 60.96cm D) | 51 lbs.<br>(23.2 kg) | 120        | 15   | 1800  | 28.5 gal/hr.<br>107.9 L/hr. | Yes           | UL LISTED NSF |