

# BUNN®

## Tiger Cool Froth XL Cleaning Card

### Required Supplies:

36000.1189 Cafiza Tablets (ea)  
36000.1188 Cafiza Tablets (cs of 12)  
04238.0000 Cleaning Pitcher

39265.0000 Rinza Cleaner (ea)  
39265.0001 Rinza Cleaner (cs of 6)  
Clean Paper Towels

To order cleaning supplies call Bunn® at 800-626-2866

### Cleaning Procedure



Open POD holder. Move white switch to the left position.



Place one Cafiza cleaning tablet in the pod holder.



Close pod holder and lock in place.



Raise the pod holder.



Remove and empty the grounds drawer.



Place grounds drawer side-ways on the drip tray.



Remove, empty and clean the milk drawer and lid.



Pour 1 oz (30 ml) of Rinza into the left side of the drawer.



Insert milk drawer into the chiller cabinet.



Press the rinse key to complete the clean cycle.



Press the Rinse key and allow the Tiger to cycle through 4 of 6 soap and soak cycles. (Allow approx. 10 min)



When prompted, remove the milk drawer, empty and clean. This step is omitted with software version 3.0.2 and up.

## Cleaning (continued)



Press the rinse key - the Tiger will cycle through 2 clear water rinse cycles (6/6 total). This step is omitted with software version 3.0.2 and up.



When prompted, dump the water collected in the grounds drawer.



Rinse the grounds drawer and set aside.



Unscrew the labyrinth from the Thermoblock. (counter-clockwise motion)



Wash the labyrinth under clean running water.



Wipe the Thermoblock with a clean paper towel.  
**CAUTION:** Do not scour. You will remove the protective coating.



Reinsert and tighten the labyrinth (clockwise motion) and wipe out grounds drawer base area.



Replace the grounds drawer.




Screen will toggle between: "Empty and Clean Milk Tank, Push Rinse" and "Enter Grounds Drawer, Push Rinse". Press Rinse to complete each step.



Open the pod drawer and move the white switch to the right.



Remove the milk drawer, rinse and allow to air dry.



Screen as shown above will appear when cleaning is complete.

## Cleaning (continued)

### Air Filter for Tiger CTM XL



Remove the milk chiller air filter from the machine base.




Gently bend the tabs of the outer bracket inward and press it out.



Remove filter media from the frame and rinse carefully with tepid water.



Filter must be DRY before reassembly – gently press between multiple layers of clean paper towels.



Clean all components and re-assemble.



Orient the filter with the 2 tabs up.



Reinstall the filter and verify that it is properly snapped in place.